## Professional Series


# Compilation of Active Group with wealth of skills.

#### **Professional Series**

MODEL Professional-30 Professional-50

Professional-100

Professional-150



The flow of chute is stabilized.

The sorting loss is reduced by thoroughness of wave form equalization.

Poor sorting was reduced remarkably by exact sorting.




We set the concept to pursue thoroughly of the sorting accuracy.

It succeed to develop the Active Group with wealth of skills by reflecting our 8 years experience and customer's demand.

Professional Color Sorting made possible to sort several type such as colored, chalky and nonglutinous.

MODEL Professional-100 The wave-form function is loaded.



## **Specification**

Model		Professional-30		Professional-50		Professional-100		Professional-150	
Channel	Primary sorting	25		Original setting (Accessories is option)					
	Secondarily sorting	5							
Main power		AC100V	13A	AC100V	15A	AC100V	20A	AC100V	30A
Compressor capacity		2.2kw~5.5kw		2.2kw~7.5kw		5.5kw~15kw		7.5kw~22kw	
Dust cleaner capacity		0.4kw		0.4kw~0.75kw		0.75kw~1.5kw		1.5kw~2.2kw	
Piping (inch)		1/2		1/2		3/4		3/4	
Maximum Throughput		1~2.5t/h		1∼5t/h		2~10t/h		3~15t/h	

- \*Brown rice, wheat and buckwheat please ask to a dealer for details.
- $\ensuremath{\mbox{\%}}$  Air compressor, air drier and dust cleaner are optional parts.
- \*Air compressor capacity and dust cleaner capacity will change by materials.
- \*Process capability changes with the state of material and sorting.
- \*\*Outward form and specification may be changed without a prior notice for improvement.



## Taiwan Yamakawa Technology Co., LTD

3F, No, 23, Chung Shan N. RD., SEC. 2 Taipei 104, Taiwan, R.O.C TEL. 02-2561-6918 FAX. 02-2561-6977 Web site: http://www.yamatec.com.tw

. .

## Professional GR Series

Sorting a glass, a plastic and a stone without missing.



MODEL Professional-50GR

#### **Professional GR Series**

**MODEL Professional-30GR** 


Professional-50GR

Professional-100GR

Professional-150GR

#### Wave-length graph

(It is displayed the maximum energy which is set as 100%.)



### **Automatic wave form loaded!!**

Waveform adjustment is no longer need by automatic waveform function.


## A light source is the Near Infrared LED

The special light source with excellent in durability supplies a stable light.

Also Near infrared LED with less heat is used rejecting glasses, stones and so on.







## **Specification**

Model		Professional-30GR	Professional-50GR	Professional-100GR	Professional-150GR			
Channel	Primary sorting	25	Original setting (Accessories is option)					
	Secondarily sorting	5	Original Setting (Accessories is option)					
Main power		AC100V 20A	AC100V 25A	AC100V 30A	AC100V 40A			
Compressor capacity		2.2kw~5.5kw	2.2kw~7.5kw	5.5kw~15kw	7.5kw~22kw			
Dust cleaner capacity		0.4kw	0.4kw~0.75kw	0.75kw~1.5kw	1.5kw~2.2kw			
Piping (inch)		1/2	1/2	3/4	3/4			
Maximum Throughput		1∼2.5t/h	1∼5t/h	2~10t/h	3∼15t/h			
Main use		Chalky is sorted from cleaned rice (GR type: chalky glass plastic stone and so on.)  Nonglutinous rice is sorted from Glutinous rice and chalky (GR type: chalky glass plastic stone and so on.)  Brown rice, wheat and buckwheat please ask to a dealer for details.						

\*Air compressor, air drier and dust cleaner are optional parts.

\*\*Air compressor capacity and dust cleaner capacity will change by materials.
\*\*Process capability changes with the state of material and sorting.
\*\*Outward form and specification may be changed without a prior notice for improvement.



### Taiwan Yamakawa Technology Co., LTD

3F, No, 23, Chung Shan N. RD., SEC. 2 Taipei 104, Taiwan, R.O.C TEL. 02-2561-6918 FAX. 02-2561-6977 Web site: http://www.yamatec.com.tw

Active K.T. CO., LTD. / Active Marketing Co., LTD.

Web site : http://www.activecorp.co.jp